


Harbertonford C of E Primary: Calculation policy: Years 1-6



This calculation policy is a guide for teaching the progression of calculation strategies throughout primary education at Harbertonford but does not consider any strategy to be specific for use only in particular year groups. Depth of mathematical learning at Harbertonford is achieved through undertaking and representing mathematics in concrete, pictorial and abstract forms.

Years 1&2

	Concrete	Pictorial	Abstract
Place value	By Y2 children will be taught:		
Understanding 10s and 1s	Understanding teen numbers as a complete 10 and some more Complete a group of 10 objects and	Understanding teen numbers as a complete 10 and some more Use a ten frame to support understanding of a	Understanding teen numbers as a complete 10 and some more.
<u>Vocabulary</u> :	count more.	complete 10 for teen numbers.	1 ten and 3 ones equal 13. 10 + 3 = 13
Ones Tens Count on Groups			
Equals	13 is 10 and 3 more.	13 is 10 and 3 more.	





Altogether Sum Total Equals		One more than 4 is 5.	Learn to link counting on with adding more than one. 1
Understanding part-part-whole relationship Vocabulary: Groups Altogether Total Add	Sort people and objects into parts and understand the relationship with the whole. The parts are 2 and 4. The whole is 6.	Children draw to represent the parts and understand the relationship with the whole. The parts are 1 and 5. The whole is 6.	Use a part-whole model to represent the numbers. 6 4 6 + 4 = 10 6 + 4 = 10
Knowing and finding number bonds within 10 Vocabulary: Count on More Number bonds Altogether Sum Total	Break apart a group and put back together to find and form number bonds. 7+3 = 10 7+3	Use five and ten frames to represent key number bonds. $5 = 4 + 1$	Use a part-whole model alongside other representations to find number bonds. Make sure to include examples where one of the parts is zero. a) $4 + 0 = 4$ $3 + 1 = 4$
Adding by counting on	Children use knowledge of counting to 20 to find a total by counting on using	Children use counters to support and represent their counting on strategy.	Children use number lines or number tracks to support their counting on strategy.


Vocabulary:

Count on More Altogether Add Sum Total Ones Greater

people or objects.







Adding the 1s

Vocabulary:

Count on More Altogether Add Sum Total

Ones


Children use bead strings to recognise how to add the 1s to find the total efficiently.



$$2 + 3 = 5$$

 $12 + 3 = 15$

calculations using ten frames to add a teen and 1s.



$$2 + 3 = 5$$

 $12 + 3 = 15$

Children recognise that a teen is made from a 10 and some 1s and use their knowledge of addition within 10 to work efficiently.

$$3 + 5 = 8$$

So, $13 + 5 = 18$

Bridging the 10 using number bonds

Vocabulary:

Number bonds Altogether


Count on

More


Children use a bead string to complete a 10 and understand how this relates to the addition.



7 add 3 makes 10. So, 7 add 5 is 10 and 2 more. Children use counters to complete a ten frame and understand how they can add using knowledge of number bonds to 10.



Use a number line to support the calculation.



Sum Total Adding a Add the 1s to find the total. Use known Add the 1s. Add the 1s. 1-digit number bonds within 10. to a 2-digit Understand the link between counting on and using known number facts. Children number not bridging a 10 should be encouraged to use known number bonds to improve efficiency and 41 is 4 tens and 1 one. 34 is 3 tens and 4 ones. accuracy. 41 add 6 ones is 4 tens and 7 ones. 4 ones and 5 ones are 9 ones. **Vocabulary**: The total is 3 tens and 9 ones. Count on 30 31 32 33 34 35 36 37 38 39 40 This can also be done in a place value More grid. Number bonds This can be represented horizontally or **Altogether** vertically. Sum Total 34 + 5 = 39Place value 10 10 Ones or Tens Adding a Complete a 10 using number bonds. Complete a 10 using number bonds. 1-digit number to a 2-digit number 43 44 45 46 47 48 49 50 51 52 53 bridging 10 7 = 5 + 245 + 5 + 2 = 52Vocabulary:

Count on More Number bonds Altogether Sum Total Place value Ones Tens		
Adding a 1-digit number to a 2-digit number using exchange Vocabulary: Count on More Number bonds Altogether Sum Total Place value Ones Tens Exchange	Exchange 10 ones for 1 ten. TOO DOOD DOOD DOOD DOOD DOOD DOOD DOO	Exchange 10 ones for 1 ten. T O 2 4 8 8 3 2 1
Adding a multiple of 10 to a 2-digit number <u>Vocabulary</u> :	Add the 10s and then recombine.	Add the 10s and then recombine. 37 + 20 = ? 30 + 20 = 50 50 + 7 = 57

Count on More Altogether Sum Total Place value Ones Tens	66 is 6 tens and 6 ones. 66 + 10 = 76		37 + 20 = 57
Adding a multiple of 10 to a 2-digit number using columns Vocabulary: Count on More Altogether Sum Total Place value Ones Tens	Add the 10s using base 10 and a place via the second of th	alue grid to support.	Add the 10s represented vertically. Children must understand how the method relates to unitising of 10s and place value. $ \begin{array}{c c} \hline T & O \\ \hline I & 6 \\ \hline 4 & 6 \end{array} $ $ \begin{array}{c} 1 + 3 = 4 \\ 1 \ ten + 3 \ tens = 4 \ tens \\ 16 + 30 = 46 \end{array} $
Adding two 2-digit numbers Vocabulary: Place value Ones	Add the 10s and 1s separately. $5 + 3 = 8$ There are 8 ones in total.	Add the 10s and 1s separately. Use a part-whole model to support. Use place value achart and base 10 to support $11 = 10 + 1$ $32 + 10 = 42$ $42 + 1 = 43$	Add the 10s and the 1s separately, bridging 10s where required. A number line can support the calculations. TO T

Tens More Altogether Sum Total	3 + 2 = 5 (3 tens + 2 tens) There are 5 tens in total. 35 + 23 = 58	32 + 11 = 43	
Adding two 2-digit numbers using a place value grid Vocabulary: Place value Ones Tens More Altogether Sum Total	Add the 1s. Then add the 10s. Tens Ones Tens Ones Tens Ones Tens Ones		Add the 1s. Then add the 10s. T O 3 2 + 1 4 6 6 T O 3 2 + 1 4 4 6 T O 5 T O 7
Subtraction	All children will be taught:		
	Concrete	Pictorial	Abstract
Counting back and taking away Vocabulary:	Children arrange objects and remove to find how many are left.	Children draw and cross out or use counters to represent objects from a problem.	Children count back to take away and use a number line or number track to support the method.
Less Take Remove	1 less than 6 is 5. 6 subtract 1 is 5.	9 – = = There are children left.	0 1 2 3 4 5 6 7 8 9 10

Less than Fewer Count back			9 - 3 = 6
Finding a missing part, given a whole and a part Vocabulary: Total Less Take away Fewer Part-part-whole	Children separate a whole into parts and understand how one part can be found by subtraction. 8 - 5 = ?	Children represent a whole and a part and understand how to find the missing part by subtraction. 5 - 4 =	Children use a part-whole model to support the subtraction to find a missing part. 7 - 3 = ? Children develop an understanding of the relationship between addition and subtraction facts in a part-whole model. =
Finding the difference	Arrange two groups so that the difference between the groups can be worked out.	Represent objects using sketches or counters to support finding the difference.	Children understand 'find the difference' as subtraction.
Vocabulary: Subtract Fewer Less Gone Count back	8 is 2 more than 6. 6 is 2 less than 8. The difference between 8 and 6 is 2.	5 - 4 = 1 The difference between 5 and 4 is 1.	
Subtraction within 20	Understand when and how to subtract 1s efficiently. Use a bead string to subtract 1s	Understand when and how to subtract 1s efficiently.	Understand how to use knowledge of bonds within 10 to subtract efficiently. 5 - 3 = 2

Vocabulary: Subtract Fewer Less Count back Difference Take away Subtracting 10s and 1s Vocabulary: Subtract Fewer

effi		
offi.	\sim i \sim i	nthi
еш	CIE	nuv.



$$5 - 3 = 2$$

 $15 - 3 = 12$

(1)	③	①	①	③
(1)	(1)	(a)	③	(1)

15 -	3 =	12
------	-----	----

For example: 18 - 12

Subtract 12 by first subtracting the 10, then the remaining 2.





First subtract the 10, then take away 2.

For example: 18 - 12

Use ten frames to represent the efficient method of subtracting 12.

 $oldsymbol{igotimes} oldsymbol{oldsymbol{\varnothing}} oldsymbol{oldsymbol{\varnothing}} oldsymbol{oldsymbol{\varnothing}} oldsymbol{oldsymbol{\varnothing}}$





First subtract the 10, then subtract 2.

Use a part-whole model to support the calculation.

Subtraction bridging 10 using number bonds


Less


Count back


Difference Take away Place value

For example: 12 - 7

Arrange objects into a 10 and some 1s, then decide on how to split the 7 into parts.








7 is 2 and 5, so I take away the 2 and then the 5.


Represent the use of bonds using ten frames.





For 13 – 5, I take away 3 to make 10, then take away 2 to make 8.

Use a number line and a part-whole model to support the method.



Place value Number bonds			
Subtracting multiples of 10	Use known number bonds and unitising to subtract multiples of 10.	Use known number bonds and unitising to subtract multiples of 10.	Use known number bonds and unitising to subtract multiples of 10.
Vocabulary: Difference Take away Place value	8 subtract 6 is 2.	100 30	7 70 2 5 20 50 If I know that 7-5=2 then I know that 70- 50=20
Subtracting a single-digit number	So, 8 tens subtract 6 tens is 2 tens. Subtract the 1s. This may be done in or out of a place value grid.	So, 10 tens subtract 3 tens is 7 tens. Subtract the 1s. This may be done in or out of a place value grid.	Subtract the 1s. Understand the link between counting back and subtracting the 1s using known bonds.
Vocabulary:	10		30 3I 32 33 34 35 36 37 38 39 40
Subtract Fewer Less Count back Difference Take away Place value	T O 39-3= 36		$ \begin{array}{c c} \hline & T & O \\ \hline & 3 & q \\ \hline & - & 3 \\ \hline & 3 & 6 \\ \hline & 9 - 3 = 6 \\ & 39 - 3 = 36 \end{array} $
Subtracting a single-digit number bridging 10	Bridge 10 by using known bonds.	Bridge 10 by using known bonds.	Bridge 10 by using known bonds. -4 -4 -4 -6 -7 -7 -7 -7 -7 -7 -7 -7 -7
Vocabulary: Subtract	35 – 6	35 - 6	24 - 6 = ?

Fewer Less Count back Difference Take away Place value Number bonds	I took away 5 counters, then 1 more.	First, I will subtract 5, then 1.	24 - 4 - 2 = ?
Subtracting a 2-digit number Vocabulary: Subtract Fewer Less Count back Difference Take away Place value	Subtract by taking away.	Subtract the 10s and the 1s. This can be represented on a 100 square. 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 68-26	Subtract the 10s and the 1s. This can be represented on a number line. This can be represented on a number line. $ \begin{array}{cccccccccccccccccccccccccccccccccc$
Subtracting a 2-digit number using place value and columns Vocabulary: Subtract	Subtract the 1s. Then subtract the 10s. This may be done in or out of a place value grid.	Subtract the 1s. Then subtract the 10s. Tens Ones	Using column subtraction, subtract the 1s. Then subtract the 10s.


Fewer Less Count back Difference Take away Place value	T O O O O O O O O O O O O O O O O O O O		T O 4 5 - I 2 3 T O 4 5 - I 2 3 3
Multiplication	All children will be taught		
	Concrete	Pictorial	Abstract
Recognising and making equal groups Vocabulary: Groups Same Equal Represent	Children arrange objects in equal and unequal groups and understand how to recognise whether they are equal. A B C	Children draw and represent equal and unequal groups.	Three equal groups of 4. Four equal groups of 3.
Equal groups and repeated addition Finding the total of equal groups by counting in 2s, 5s and 10s	Recognise equal groups and write as repeated addition and as multiplication. 3 groups of 5 chairs 15 chairs altogether	Recognise equal groups using standard objects such as counters and write as repeated addition and multiplication. 3 groups of 5 15 in total Counting in 2s, 5s and 10s	Use a number line and write as repeated addition and as multiplication. $ \begin{array}{cccccccccccccccccccccccccccccccccc$

Vocabulary: Groups Same Equal Represent Counting on Place value Repeated addition			
Using arrays to represent multiplication and support understanding Vocabulary: Groups Same Equal Counting on Repeated addition	Understand the relationship between arrays, multiplication and repeated addition. 4 groups of 5	Understand the relationship between arrays, multiplication and repeated addition. 4 groups of 5 5 groups of 5	Understand the relationship between arrays, multiplication and repeated addition. $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
Understanding commutativity Vocabulary: Pattern Groups Same Equal	Use arrays to visualise commutativity. Ocan see 6 groups of 3. I can see 3 groups of 6.	Form arrays using counters to visualise commutativity. Rotate the array to show that orientation does not change the multiplication. This is 2 groups of 6 and also 6 groups of 2.	Use arrays to visualise commutativity. $4+4+4+4+4=20$ $5+5+5+5=20$


			$4 \times 5 = 20$ and $5 \times 4 = 20$
Learning ×2, ×5 and ×10 table facts Vocabulary: Times tables Pattern Groups Same Equal Counting on Repeated addition	Develop an understanding of how to unitise groups of 2, 5 and 10 and learn corresponding times-table facts. 3 groups of 10 10, 20, 30 3 × 10 = 30	Understand how to relate counting in unitised groups and repeated addition with knowing key times-table facts. $00000000000000000000000000000000000$	Understand how the times-tables increase and contain patterns. $ \begin{vmatrix} 1 \times 10 & - \\ 2 \times 10 & - \\ 3 \times 10 & - \\ 0 & 10 & 10 & 10 & 10 \end{vmatrix} $ $ \begin{vmatrix} 1 \times 10 & - \\ 2 \times 10 & - \\ 0 & 10 & 10 \end{vmatrix} $ $ \begin{vmatrix} 1 \times 10 & - \\ 2 \times 10 & - \\ 0 & 10 & 10 \end{vmatrix} $ $ \begin{vmatrix} 1 \times 10 & - \\ 4 \times 10 & - \\ 0 & 10 & 10 & 10 \end{vmatrix} $ $ \begin{vmatrix} 1 \times 10 & - \\ 6 \times 10 & - \\ 0 & 10 & 10 & 10 \end{vmatrix} $ $ \begin{vmatrix} 1 \times 10 & - \\ 0 & 10 & 10 & 10 \end{vmatrix} $ $ \begin{vmatrix} 1 \times 10 & - \\ 0 & 10 & 10 & 10 \end{vmatrix} $ $ \begin{vmatrix} 1 \times 10 & - \\ 0 & 10 & 10 \end{vmatrix} $ $ \begin{vmatrix} 1 \times 10 & - \\ 0 & 10 & 10 \end{vmatrix} $ $ \begin{vmatrix} 5 \times 10 & - \\ 0 & 10 & 10 \end{vmatrix} $ $ \begin{vmatrix} 5 \times 10 & - \\ 0 & 10 & 10 \end{vmatrix} $ $ \begin{vmatrix} 5 \times 10 & - \\ 0 & 10 & 10 \end{vmatrix} $ $ \begin{vmatrix} 5 \times 10 & - \\ 0 & 10 & 10 \end{vmatrix} $ $ \begin{vmatrix} 5 \times 10 & - \\ 0 & 10 & 10 \end{vmatrix} $ $ \begin{vmatrix} 5 \times 10 & - \\ 0 & 10 & 10 \end{vmatrix} $
Division	All children will be taught		
	Concrete	Concrete	Concrete
Sharing Vocabulary: Share Groups	Share a set of objects into equal parts and work out how many are in each part.	Sketch or draw to represent sharing into equal parts/groups.	10 shared into 2 equal groups gives 5 in each group.
Sharing & Grouping equally	Start with a whole and share into equal parts, one at a time.	Represent the objects shared into equal parts using a bar model.	Use a bar model to support understanding of the division.




Same Equal Share Groups



12 shared equally between 2. They get 6 each.



20 shared into 5 equal parts. There are 4 in each part.



 $18 \div 2 = 9$

Understand how to make equal groups from a whole.


8 divided into 4 equal groups. There are 2 in each group. Understand the relationship between grouping and the division statements.

12 ÷ 4 = 3

12 ÷ 6 = 2

12 ÷ 2 = 6

Understand how to relate division by grouping to repeated subtraction.




There are 4 groups now.

12 divided into groups of 3. $12 \div 3 = 4$

There are 4 groups.


Using known times-tables to solve divisions

Understand the relationship between multiplication facts and division.




4 groups of 5 cars is 20 cars in total.

Link equal grouping with repeated subtraction and known times-table facts to support division.



40 divided by 4 is 10.

Use a bar model to support understanding of the link between times-table knowledge and division. Relate times-table knowledge directly to division.



I know that 3 groups of 10 makes 30, so I know that 30 divided by 10 is 3.

Vocabulary:

Times tables
Pattern
Groups
Counting back
Repeated
subtraction

Number line Bar model 20 divided by 4 is 5.

	60		
1		10	10

 $3 \times 10 = 30$ so $30 \div 10 = 3$

Years 3 & 4

	Concrete	Pictorial	Abstract	
Place value	All children will be taught:			
Understanding 100s	Understand the cardinality of 100, and the link with 10 tens.	count in steps of 100. There are 100 sweets in each jar.	Represent steps of 100 on a number line and a number track and count up to 1,000 and back to 0.	
Vocabulary: Place value Ones Tens Hundreds Equal Groups Pattern Represent	Use cubes to place into groups of 10 tens.	Sweets Sweets Sweets	200 300 500 800 900 800 500	
Understanding place value to 1,000	Unitise 100s, 10s and 1s to build 3-digit numbers.	Use equipment to represent numbers to 1,000.	Represent the parts of numbers to 1,000 using a part-whole model.	

Vocabulary: Place value Ones Tens Hundreds Thousands Equal Groups Pattern Represent	100 200 210 211 212 213 214 215	Hundreds Tens Ones	215 = 200 + 10 + 5 Recognise numbers to 1,000 represented on a number line, including those between intervals.
Understanding numbers to 10,000 Vocabulary: Place value Ones Tens Hundreds Thousands Equal Groups Pattern Represent	Use place value equipment to understand the place value of 4-digit numbers. 4 thousands equal 4,000.	Represent numbers using place value counters once children understand the relationship between 1,000s and 100s. 100	Understand partitioning of 4-digit numbers, including numbers with digits of 0. $5,000+60+8=5,068$ Understand and read 4-digit numbers on a number line.

Round to the nearest 10/100/1000

Say whether each number on the number line is closer to 500 or 600.


Round 535, 556 and 568 to the nearest 100

500 535 556 568 600

Use the stem sentence: ____ rounded to the nearest 100 is ____

Vocabulary:

Place value To the nearest Round up Round down



Round these numbers to the nearest 1,000

- · Eight thousand and fifty-six
- 5 thousands, 5 hundreds, 5 tens and 5 ones
- LXXXII

Complete the table

اب	implete the table.			
	Start number	Rounded to the nearest 10	Rounded to the nearest 100	Rounded to the nearest 1,000
	100 10 10 10			
	4,999			
	LXXXII			#

44

Adding 100s	Use known facts and unitising to add multiples of 100.	Use known facts and unitising to add multiples of 100.	Use known facts and unitising to add multiples of 100.
Vocabulary: Place value Pattern Groups Counting on Addition	3+2=5 $3 hundreds + 2 hundreds = 5 hundreds$ $300+200=500$	3 + 4 = 7 3 hundreds + 4 hundreds = 7 hundreds 300 + 400 = 700	Represent the addition on a number line. Use a part-whole model to support unitising. $3 + 2 = 5$ $300 + 200 = 500$
Subtracting 100s	Use known facts and unitising to subtract multiples of 100.	Use known facts and unitising to subtract multiples of 100.	Understand the link with counting back in 100s.
Vocabulary: Place value Pattern Groups Counting on Subtraction	100 bricks 100 l00 l00 bricks 5 - 2 = 3 500 - 200 = 300	4 - 2 = 2 400 - 200 = 200	Use known facts and unitising as efficient and accurate methods. I know that $7 - 4 = 3$. Therefore, I know that $700 - 400 = 300$.
Multiplying by multiples of 10 and 100	Use unitising and place value equipment to understand how to multiply by multiples of 1, 10 and 100.	Use unitising and place value equipment to understand how to multiply by multiples of 1, 10 and 100.	Use known facts and understanding of place value and commutativity to multiply mentally.
<u>Vocabulary</u> :			$4 \times 7 = 28$ $4 \times 70 = 280$

Groups of Counting on Pattern Multiples Product Lots of	3 groups of 4 ones is 12 ones. 3 groups of 4 tens is 12 tens. 3 groups of 4 hundreds is 12 hundreds.	$3 \times 4 = 12$ $3 \times 40 = 120$ $3 \times 400 = 1,200$	$40 \times 7 = 280$ $4 \times 700 = 2,800$ $400 \times 7 = 2,800$
Addition	mathematics where necessary. Other	method. Place value equipment will be used to methods may also offer support to secure know 00 without exchange and then add 1/10/100 with	rledge and skills.
	Concrete	Pictorial	Abstract
3 / 4-digit number + 1s, no exchange or bridging Vocabulary: Addition Place value Sum Total Altogether Increase Counting on Greater	Use number bonds to add the 1s. 214 + 4 = ? Now there are $4 + 4$ ones in total. $4 + 4 = 8$ 214 + 4 = 218	Use number bonds to add the 1s. H T O Use number bonds to add the Is. $5 + 4 = 9$ $245 + 4$ $5 + 4 = 9$ $245 + 4 = 249$	Understand the link with counting on. $245 + 4$ 245 246 247 248 249 250 Use number bonds to add the 1s and understand that this is more efficient and less prone to error. $245 + 4 = ?$ I will add the 1s. $5 + 4 = 9$ So, $245 + 4 = 249$
3 / 4-digit number + 1s with exchange <u>Vocabulary</u> :	Understand that when the 1s sum to 10 or more, this requires an exchange of 10 ones for 1 ten. Children should explore this using unitised objects or physical apparatus.	Exchange 10 ones for 1 ten where needed. Use a place value grid to support the understanding.	Understand how to bridge by partitioning to the 1s to make the next 10.

Addition Exchange Place value Sum Total Altogether Increase Counting on Greater		10 10 10 10 10 10 10 10 10 10 10 10 10 1	135 + 7 = ? 135 + 5 + 2 = 142 Ensure that children understand how to add 1s bridging a 100. 198 + 5 = ? 198 + 2 + 3 = 203
3-digit number + 10s, no exchange	Calculate mentally by forming the number bond for the 10s.	Calculate mentally by forming the number bond for the 10s. 98 + 4142 =	Calculate mentally by forming the number bond for the 10s. 753 + 40
Vocabulary: Addition Place value Sum Total Altogether Increase Counting on Greater	Add 9 to 3041. 3041 + 9 = make 10 3041 + 9 = 3040 + 10 3041 + 9 = 3050	make 100 98 + 4142 = 100 + 4140 = 4240	I know that 5 + 4 = 9 So, 50 + 40 = 90 753 + 40 = 793
3-digit number + 2-digit / 3 digit number, exchange required	Use place value equipment / grids to mod required.	del addition and understand where exchange is	Use a column method with exchange. Children must understand how the method relates to place value at each stage of the calculation.
Vocabulary: Addition Place value			

Sum Total Altogether Increase Counting on Greater Exchange Represent	100 100 10 10 10 10 10 10 10 10 10 10 10	ones. There are 14 tens so I will exchange.	$ \frac{H \ T \ O}{2 \ 7 \ 5} + \frac{I \ I \ O}{2 \ 7 \ 5} + \frac{I \ I \ O}{2 \ 7 \ 5} + \frac{I \ I \ O}{2 \ 7 \ 5} + \frac{I \ I \ O}{2 \ 7 \ 5} + \frac{I \ I \ O}{2 \ 7 \ 5} + \frac{I \ O}{2 \ 7 \ $
Representing additions and checking strategies		Bar models may be used to represent additions in problem contexts, and to justify mental methods where appropriate. The Heat Total	Use rounding and estimating on a number line to check the reasonableness of an addition. The provided HTML representation of the provi
Vocabulary: Check Prove Part-part- whole Bar models		1,3/3 799 + 5 7 4 1 3 7 3 1 chose to work out 574 + 800, then subtract 1.	912 + 6,149 = ? I used rounding to work out that the answer should be approximately 1,000 + 6,000 = 7,000.
Subtraction	All children will be taught column subtraction. Place value equipment will be used to represent subtractions and support mathematics where necessary. Other methods may also offer support to secure knowledge and skills. All children will be taught to subtract without exchange and then subtract with exchange		

	Concrete	Pictorial	Abstract
3-digit number - 1s, no exchange Vocabulary: Count back	Use number bonds to subtract the 1s. 214 - 3 = ?	Use number bonds to subtract the 1s. H T O 319 - 4 = ?	Understand the link with counting back using a number line. 132-4 132-4 125 126 127 128 129 130 131 132 133 134 135
Fewer Minus Decrease Take (away) Less Subtract Subtraction	4 - 3 = 1 214 - 3 = 211	9 - 4 = 5 319 - 4 = 7 0 0 0 0 0 0 0 0 0 0 0 0 0	
3-digit number – up to 3 / 4- digit number	Use place value equipment to explore the effect of splitting a whole into two parts, and understand the link with taking away.	Represent the calculation on a place value grid.	Use column subtraction to calculate accurately and efficiently. H T O q q q
Vocabulary: Count back Fewer Minus Decrease Take (away) Less Subtract Subtraction Exchange			- 3 5 2 - 7 H T O q q q - 3 5 2 - 4 7 H T O q q q - 3 5 2 6 4 7
3-digit number - up to 3-digit	Use equipment to exchange 1 hundred for 10 tens, and 1 ten for 10 ones.	Model the required exchange on a place value grid.	Use column subtraction to work accurately and efficiently.

number, exchange required Vocabulary: Count back Fewer Minus Decrease Take (away) Less Subtract Subtraction Exchange		175 – 38 = ? I need to subtract 8 ones, so I will exchange a ten for 10 ones.	$ \frac{H T O}{I {}^{6}\lambda {}^{15}} $ $ - \frac{3 8}{I 3 7} $ $ I75 - 38 = I37 $	
Representing subtraction problems Vocabulary:		Use bar models to represent subtractions. 'Find the difference' is represented as two bars for comparison.	Children use alternative representations to check calculations and choose efficient methods. Children use inverse operations to check additions and subtractions.	
Part-part- whole Represent Prove Check		Bar models can also be used to show that a part must be taken away from the whole.	$ \frac{H T O}{2 7 0} $ + 2 5 5 $ \frac{5}{2 5} $ I will check using addition.	
Multiplication	All children will be taught times tables to 12x12 and begin with formal written methods for short multiplication			
	Concrete	Pictorial	Abstract	
Understanding equal grouping and repeated	Children continue to build understanding of equal groups and the relationship with repeated addition.	Children recognise that arrays demonstrate commutativity.	Children understand the link between repeated addition and multiplication.	

addition

Using commutativity to support understanding of the timestables

Vocabulary:

Groups of Counting on Pattern Multiples Product Lots of Commutative Bar Model



Children recognise that arrays can be used to model commutative multiplications.




I can see 2 groups of 6. I can see 6 groups of 2. 2x6=12 6x2=12





This is 3 groups of 4. This is 4 groups of 3.


3x4=12 4x3=12



8 groups of 3 is 24.

3+3+3+3+3+3+3+3+3=24 $8 \times 3 = 24$

A bar model may represent multiplications as equal groups.



 $6 \times 4 = 24$

Learning and understanding times-tables up to 12 x 12

Vocabulary:

Groups of Pattern Multiples Product Lots of Commutative Repeated Learn times tables to 12x12

Understand the special cases of multiplying by 1 and 0.




 $5 \times 1 = 5$



 $5 \times 0 = 0$

Represent the relationship between the $\times 9$ table and the $\times 10$ table.



Represent the x11 table and x12 tables in relation to the x10 table.



 $2 \times 11 = 20 + 2$

Understand how times-tables relate to counting patterns.

Understand links between the $\times 3$ table, $\times 6$ table and $\times 9$ table 5×6 is double 5×3

 $\times 5$ table and $\times 6$ table I know that $7 \times 5 = 35$ so I know that $7 \times 6 = 35 + 7$.

 $\times 5$ table and $\times 7$ table $3 \times 7 = 3 \times 5 + 3 \times 2$

addition		$3 \times 11 = 30 + 3$	3×5 3×2
		$4 \times 11 = 40 + 4$	
		00000000	3×7
		30000000000000000000000000000000000000	0.11
		$4 \times 12 = 40 + 8$	$\times 9$ table and $\times 10$ table $6 \times 10 = 60$
			$6 \times 9 = 60 - 6$
Multiplying a	Use place value equipment to model	Understand that multiplications may require an	Short multiplication method
2-digit number by a 1-digit	how 10 ones are exchanged for a 10 in some multiplications.	exchange of 1s for 10s, and also 10s for 100s.	ТО
number,	Some multiplications.	4 × 23 = ?	3 4
expanded	3 × 24 = ?		
column method	$3 \times 20 = 60$	4 x 20 = 80 4 x 3 = 12	× 5
ou	$3 \times 4 = 12$		1 7 0
<u>Vocabulary</u> :		$4 \times 23 = 92$	1 2
Place value Pattern Multiples Product Lots of	+ + + + + + + + + + + + + + + + + + +	-72	
	$3 \times 24 = 60 + 12$ $3 \times 24 = 70 + 2$ $3 \times 24 = 72$		
Column multiplication for 2- and	Use place value equipment to make multiplications. 26 x 3	Use place value equipment alongside a column method for multiplication of up to 3-digit numbers by a single digit.	Use the formal column method for up to 3-digit numbers multiplied by a single digit.
3-digit numbers multiplied by a single digit	Tens Ones CONTROLLED GROUNDS CONTROLLED GROU		3 1 2 × 3 <u>q 3 6</u>
Vocabulary:	There are 3 × 6 ones 18 ones		

Place value Pattern Multiples Product Lots of	There are 3 × 2 tens 6 tens 18 + 60 = 78	Tens Ones T O 10 10 10 11 11 11 10 10 10 11 11 11 11 10 10 10 11 11 11 11 11 11 11 11 11 11 1	
Division	All children will be taught short division	on method (bus stop)	
	Concrete	Concrete	Concrete
Understanding the relationship between multiplication and division, including times-tables	Use objects to explore families of multiplication and division facts.	Represent divisions using an array. 24÷4=6	Understand families of related multiplication and division facts. I know that $5 \times 7 = 35$ so I know all these facts: $5 \times 7 = 35$ $7 \times 5 = 35$
Vocabulary: Groups Share Share equally Place value Repeated subtraction Divide Remainder Factors Divisible Bar model			$35 = 5 \times 7$ $35 = 7 \times 5$ $35 \div 5 = 7$ $35 \div 7 = 5$ $7 = 35 \div 5$ $5 = 35 \div 7$
Dividing 2-digit and 3-digit numbers by a	Partition into 10s and 1s to divide where $39 \div 3 = ?$	appropriate.	Partition into 100s, 10s and 1s using a part- whole model to divide where appropriate.

single digit by
partitioning
into 100s, 10s
and 1s

000000	$\circ \circ \circ \circ$	000
000000		

$$\begin{array}{c} 146 \\ 100 \\ 100 \div 2 = \\ 40 \div 2 = \\ 6 \div 2 = \\ \end{array}$$

Vocabulary:

Groups $30 \div 3 = 10$ 9 ÷ 3 = 3 39 ÷ 3 = 13

39 = 30 + 9

Share equally Place value Repeated subtraction Divide Remainder


Factors Divisible Partition 00 , 0 = 10

Use Base 10 equipment to divide where appropriate.

$100 \div 2 = 50$
$40 \div 2 = 20$
$6 \div 2 = 3$
50 + 20 + 3 = 73
$142 \div 2 = 73$

142 *÷* 2 = ?

Dividing 2-digit and 3-digit numbers by a single digit, using short division




	1	2	2	3	
4	4	8	9	14	r2

			2		
4	4	8	9	14	r2


<u>Vocabulary</u>:

Groups
Share
Share equally
Place value
Repeated
subtraction
Divide
Remainder



Years 5&6

	Concrete	Pictorial	Abstract
Place value			
Multiplying by 10, 100 and 1,000	Use place value equipment to multiply by 10, 100 and 1,000 by unitising.	Understand the effect of repeated multiplication by 10.	Understand how exchange relates to the digits when multiplying by 10, 100 and 1,000.



Vocabulary: Groups of Pattern Place value Multiples Product Lots of Commutative Bar Model	Represent 0·3. Represent 0·3. Multiply by 10. Exchange each group of ten terths. $0.3 \times 10 = ?$ $0.3 \text{ is } 3 \text{ tenths.}$ $10 \times 3 \text{ tenths are } 30 \text{ tenths.}$ 30 tenths are equivalent to 3 ones.	0·3 × 10 = 3	$8 \times 300 = 800 \times 3$ = 2,400 $2.5 \times 10 = 25$ $2.5 \times 20 = 2.5 \times 10 \times 2$ = 50
Dividing whole numbers by 10, 100 and 1,000 Vocabulary: Groups of Pattern Place value Factors Times tables	Use place value equipment to support unitising for division. $4,000 \div 1,000$ $4,000 \times 1,000 \times 1,000$	Use a bar model to support dividing by unitising. $380 \div 10 = 38$ 380	Understand how and why the digits change on a place value grid when dividing by 10, 100 or 1,000. The Head Toology The Toolo
Dividing by multiples of 10, 100 and 1,000 Vocabulary: Groups of Pattern Place value	Use place value equipment to represent known facts and unitising. 15 ones put into groups of 3 ones. There are 5 groups.	Represent related facts with place value equipment when dividing by unitising. 180 is 18 tens.	Reason from known facts, based on understanding of unitising. Use knowledge of the inverse relationship to check. $3,000 \div 5 = 600$ $3,000 \div 50 = 60$ $3,000 \div 500 = 6$ $5 \times 600 = 3,000$ $50 \times 60 = 3,000$

Factors Times tables
Dividing decimals by 10, 100 and 1,000
Vocabulary: Groups of Pattern Place value Factors Times tables

15	÷	3	=	5
----	---	---	---	---

15 tens put into groups of 3 tens. There are 5 groups.

$$150 \div 30 = 5$$

18 tens divided into groups of 3 tens. There are 6 groups.

$$180 \div 30 = 6$$




12 ones divided into groups of 4. There are 3 groups.

12 hundreds divided into groups of 4 hundreds. There are 3 groups.

$$1200 \div 400 = 3$$

$500 \times 6 = 3,000$

Use knowledge of factors to divide by multiples of 10, 100 and 1,000.



$$40 \div 5 = 8$$

 $8 \div 10 = 0.8$


So,
$$40 \div 50 = 0.8$$

Understand division by 10 using exchange.

2 ones are 20 tenths.

20 tenths divided by 10 is 2 tenths.

Use place value equipment to explore division as exchange.



0.2 is 2 tenths.

Represent division using exchange on a place value grid.

	- 11	1 511	11011
•	•	∞ ⊙ ⊙ ⊙	
0	•	Tth	Hth
Ø	•	00000 00000 00000	
0	•	Tth	Hth
	•	@@@@@	

O • Tth Hth

1.5 is 1 one and 5 tenths. This is equivalent to 10 tenths and 50

hundredths.

10 tenths divided by 10 is 1 tenth.

50 hundredths divided by 10 is 5 hundredths. 1.5 divided by 10 is 1 tenth and 5 hundredths.

Understand the movement of digits on a place value grid.

0	•	Tth	Hth	Thth
0	•	8	5	
0	•	3 0	78	> 5

$$0.85 \div 10 = 0.085$$

0	•	Tth	Hth	Thth
8_	•	5 _		
0	•	0	→ 8	→5

$$8.5 \div 100 = 0.085$$

	2 tenths is equivalent 20 hundredths of hundredths.			1·5 ÷ 10 :	0.15			
Round to the nearest 10 / 100 / 1000 / 10,000	TTh Th	H	T	Complete the Start Numb	Rounded to the nearest 10	Rounded to the nearest 100	Rounded to the nearest 1,000	Round to the nearest 10 / 100 / 1000 / 10,000
Vocabulary: Place value To the nearest Round up Round down Place value	use place value nearest 100, 10		Round 85,617 To the nearest 10 To the nearest 1,000 To the nearest 1,000 To the nearest 1,000					
Addition	All children wi Place value eq				t additions	and sup	port mathema	atics where necessary

Column
addition with
whole
numbers

Y6: Comparing and selecting efficient methods

Adding decimals using column addition

Y6: Comparing and selecting efficient methods


Vocabulary:

Addition Place value Sum Total **Altogether** Increase **Counting on** Greater


Use place value equipment to represent additions.

5 6 7 8

+ 1 2 3 5



Represent additions, using place value equipment on a place value grid alongside written methods.



Use column addition, including exchanges.

Add using a column method, ensuring that children understand the link with place value.

Include exchange where required, alongside an understanding of place value. Include additions where the numbers of decimal places are different.

$$\begin{array}{c|cccc}
 & O & \text{Tth Hth} \\
\hline
 & 3 & 4 & 0 \\
 & + & 0 & 6 & 5 \\
\hline
 & & & \\
\end{array}$$
3.4 + 0

3.4 + 0.65 = ?

Selecting mental methods for larger numbers where

Represent 7-digit numbers on a place value grid, and use this to support thinking and mental methods.

Use a bar model to support thinking in addition problems.

257.000 + 99.000 = ?

Use place value and unitising to support mental calculations with larger numbers.

195,000 + 6,000 = ?

appropriate
<u>Vocabulary</u> :
Addition Place value Sum Total Altogether Increase Counting on Greater
Understandir order of operations in calculations
<u>Vocabulary</u> :
Brackest Indices Division Multiplication Addition Subtraction

M	HTh	TTh	Th	Н	Т	0
00	0000	•		000		•
	100000000000000000000000000000000000000	A	1000			100000

2.411.301 + 500.000 = ?

This would be 5 more counters in the HTh place.

So, the total is 2,911,301.

2,411,301 + 500,000 = 2,911,301

?	
£257,000	£100,000

Ladded 100 thousands then subtracted 1 thousand.

257 thousands + 100 thousands = 357thousands

257,000 + 100,000 = 357,000357.000 - 1.000 = 356.000

So, 257,000 + 99,000 = 356,000


$$195 + 5 + 1 = 201$$

195 thousands + 6 thousands = 201thousands


So, 195,000 + 6,000 = 201,000

Use equipment to model different different results.

interpretations of a calculation with more than one operation. Explore



Model calculations using a bar model to demonstrate the correct order of operations in multi-step calculations.



96 = 160

Understand the correct order of operations in calculations without brackets.

Understand how brackets affect the order of operations in a calculation.

$$4 + 6 \times 16$$

 $4 + 96 = 100$

$$(4+6) \times 16$$

10 × 16 = 160


Other representations and methods may include:


Representing
additions

Bar models represent addition of two or more numbers in the context of problem solving.

	?	от р толого.	
£19,579	£28,370	£16,725	j

Use approximation to check whether answers are reasonable.






Subtracting mentally with larger numbers
<u>Vocabulary</u> :
Count back Fewer Minus Decrease Take (away) Less Subtract Subtraction Exchange Bridging
Other representa
Checking strategies and representing

Use a bar model to show how unitising can support mental calculations.

950,000 - 150,000

That is 950 thousands - 150 thousands



So, the difference is 800 thousands. 950.000 - 150.000 = 800.000

Subtract efficiently from powers of 10.

10.000 - 500 = ?


ations and methods may include:

Checking
strategies and
representing
subtractions


Vocabulary:

Prove

Check Represent Bar models represent subtractions in problem contexts, including 'find the difference'.



Children can explain the mistake made when the columns have not been ordered correctly.



Use approximation to check calculations.


I calculated 18,000 + 4,000 mentally to check my subtraction.

Choosing efficient methods

To subtract two large numbers that are close, children find the difference by counting on.

$$2,002 - 1,995 = ?$$

Vocabulary:



Prove Check Represent

Use addition to check subtractions. I calculated 7,546 - 2,355 = 5,191. I will check using the inverse.

Multiplication

By year 5: All children should know or learn all multiplication facts to 12x12. Where they don't this will be taught and given as home learning.


All children will be taught: short and long multiplication methods


Multiplying up to 4-digit numbers by a single digit

By Y6 use place value & equipment to compare methods

Vocabulary:

Groups of
Pattern
Multiples
Product
Lots of
Commutative
Bar Model
Repeated
addition
Array





Use an area model and then add the parts.

	100	60	3
5	100 × 5 = 500	60 × 5 = 300	$3 \times 5 = 15$

Use a column multiplication, including any required exchanges.

By Y6 use efficient strategies

Multiplying 2-
digit numbers
by 2-digit
numbers

Use column multiplication, ensuring understanding of place value at each stage.

$$\begin{array}{ccc} \times & 2 & 7 \\ \hline 2 & 3 & 34 \times 7 \end{array}$$

 $1.274 \times 32 = 40.768$

Vocabulary:

Groups of Pattern Multiples Product Lots of Commutative Bar Model Repeated addition

Multiplying up to 4-digits by 2-digits

Use column multiplication, ensuring understanding of place value at each stage.

<u>Vocabulary</u>:

Groups of Pattern Multiples Product Lots of Commutative Bar Model Repeated addition

Multiplying decimals

Use known facts to multiply decimals.

 $4 \times 3 = 12$

 $4 \times 0.3 = 1.2$

Vocabulary:

 $4 \times 0.03 = 0.12$

Groups of Pattern Multiples Product Lots of

 $20 \times 5 = 100$ $20 \times 0.5 = 10$ $20 \times 0.05 = 1$

Commutative

Find families of facts from a known multiplication.

Bar Model Repeated addition

I know that $18 \times 4 = 72$.

This can help me work out:

$$1.8 \times 4 = ?$$

 $18 \times 0.4 = ?$
 $180 \times 0.4 = ?$
 $18 \times 0.04 = ?$

	Н	Т	0	•	Tth	Hth
2 × 3			6	•		
0·2 × 3			0	•	6	
0·02 × 3				•		

Use a place value grid to understand the effects of multiplying decimals.

Other representations and methods may include:

Understanding factors

Use Cuisenaire, cubes or counters to explore the meaning of 'square numbers'

Vocabulary:


25 is a square number because it is made from 5 rows of 5.

Times tables Representation Lots of

Groups of Total Multiplication

Division

Use cubes to explore cube numbers.



Use images to explore examples and nonexamples of square numbers.



$$8 \times 8 = 6$$

 $8^2 = 64$

Understand the pattern of square numbers in the multiplication tables.

Use a multiplication grid to circle each square number. Can children spot a pattern?

Use a known fact to generate families of related facts.

Product	8 is a cube number.		Use factors to calculate efficiently. 15×16 $= 3 \times 5 \times 2 \times 8$ $= 3 \times 8 \times 2 \times 5$ $= 24 \times 10$ $= 240$	
Understanding factors Vocabulary: Times tables Representation Lots of Groups of Total Multiplication Division Product	Use equipment to explore different factors of a number. 24 ÷ 4 = 6 30 ÷ 4 = 7 remainder 2 4 is a factor of 24 but is not a factor of 30.	Recognise prime numbers as numbers having exactly two factors. Understand the link with division and remainders.	Recognise and know primes up to 100. Understand that 2 is the only even prime, and that 1 is not a prime number. 1	
Division	All children will be taught: short and long division methods			
Dividing up to four digits by a single digit using short division	Explore grouping using place value equipment. 268 ÷ 2 = ? There is 1 group of 2 hundreds.	Use place value equipment on a place value grid alongside short division. The model uses grouping. A sharing model can also be used, although the model would need adapting.	Use short division for up to 4-digit numbers divided by a single digit. 0 5 5 6 7 3 38 39 42	

Dividing decimals	There are 3 groups of 2 tens. There are 4 groups of 2 ones.	4 4 8 T O O O O O O O O O O O O O O O O O O	3,892 ÷ 7 = 556
Understanding inverse operations and the link with multiplication & division	264 ÷ 2 = 134	Lay out the problem as a short division. There is 1 group of 4 in 4 tens.	Use multiplication to check. $556 \times 7 = ?$ $6 \times 7 = 42$ $50 \times 7 = 350$ $500 \times 7 = 3500$ 3,500 + 350 + 42 = 3,892
Groups Share Share equally Place value Repeated subtraction Divide Remainder Factors Divisible Partition Inverse Times tables		There are 2 groups of 4 in 8 ones. Work with divisions that require exchange. To problem. First, lay out the problem. How many groups of 4 go into 9 tens? 2 groups of 4 tens with 1 ten left over. Exchange the 1 ten left over for 10 ones. We now have 12 ones. How many groups of 4 go into 10 ones. We now have 12 ones. How many groups of 4 go into 12 ones? 3 groups of 4 ones.	Use short division to divide decimals with up to 2 decimal places. 8 $\boxed{4 \cdot 2 4}$ 0 \cdot 8 $\boxed{4 \cdot ^42 4}$ 0 \cdot 5 8 $\boxed{4 \cdot ^42 ^24}$ 0 \cdot 5 3 8 $\boxed{4 \cdot ^42 ^24}$
Understanding remainders	Understand remainders using concrete versions of a problem.	Use short division and understand remainders as the last remaining 1s.	In problem solving contexts, represent divisions including remainders with a bar model.
Vocabulary:	80 cakes divided into trays of 6.		683 I I36 I36 I36 I36 3

Equal groups Left over Remainder	80 cakes in total. They make 13 groups of 6, with 2 remaining.	T O Lay out the problem as short division. 6 8 0 T O How many groups of 6 go into 8 tens? There is I group of 6 tens. There are 2 tens remaining. How many groups of 6 go into 20 ones? There are 3 groups of 6 ones. There are 2 ones remaining.	683 = 136 x 5 + 3 683 ÷ 5 = 136 r 3
Dividing by a 2-digit number using long division Understanding inverse operations and the link with multiplication & division Vocabulary: Groups Share Share equally Place value Repeated subtraction Divide Remainder Factors Divisible	Use equipment to build numbers from groups. 182 divided into groups of 13. There are 14 groups.	Use an area model alongside written division to model the process. $377 \div 13 = ?$	Use long division where factors are not useful (for example, when dividing by a 2-digit prime number). Write the required multiples to support the division process. $377 \div 13 = ?$ $13 $

Partition Inverse Times tables Other representa	ations and methods may include:		the side. $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
Understanding the relationship between fractions and division Vocabulary: Groups Share Share equally Part-part-whole Divide	Use sharing to explore the link between fractions and division. 1 whole shared between 3 people. Each person receives one-third.	Use a bar model and other fraction representations to show the link between fractions and division. $I \div 3 = \frac{1}{3}$	Use the link between division and fractions to calculate divisions. $5 \div 4 = \frac{5}{4} = 1\frac{1}{4}$ $11 \div 4 = \frac{11}{4} = 2\frac{3}{4}$
Dividing by a 2-digit number using factors	Understand that division by factors can be used when dividing by a number that is not prime.	Use factors and repeated division. $1,260 \div 14 = ?$	Use factors and repeated division where appropriate.

Vocabulary: Groups Share Share equally Part-part- whole Divide Multiples Factors Product Times tables	1,260	$2,100 \rightarrow \underbrace{\begin{array}{c} +2 \\ } \rightarrow \underbrace{\begin{array}{c} +6 \\ } \rightarrow \\ 2,100 \rightarrow \underbrace{\begin{array}{c} +2 \\ } \rightarrow \\ 2,100 \rightarrow \underbrace{\begin{array}{c} +3 \\ } \rightarrow \\ 2,100 \rightarrow \underbrace{\begin{array}{c} +3 \\ } \rightarrow \\ 2,100 \rightarrow \underbrace{\begin{array}{c} +4 \\ } \rightarrow \\ $
--	-------	---